

Line Number	Hits	Search Text	DB	Time stamp
506872	movable		USPAT;	8/27 10:41
1996	protective adj member		US-PGPUB	8/27 10:42
516	movable and (protective adj member)		US-PGPUB	8/27 10:42
516	(movable and (protective adj member)) and mov34		USPAT;	8/27 10:44
115	(movable and (protective adj member)) and mov34		US-PGPUB	8/27 11:41
27248	semiconductor adj chip		USPAT;	8/27 11:38
8601	(semiconductor adj chip		US-PGPUB	8/27 11:42
5123	((semiconductor adj chip		USPAT;	8/27 11:44
8	((semiconductor adj chip		US-PGPUB	8/27 13:49
1	"4921564".PN.		USPAT;	8/27 13:57
1	"5362681".PN.		USPAT;	8/27 13:57
1	"4921564".PN.		USPAT;	8/27 13:57
1	"5435876".PN.		USPAT;	8/27 13:57
1	"5597767".PN.		USPAT;	8/27 13:58
1	"6191395".PN.		USPAT;	8/27 14:04
1	"6122650".PN.		USPAT;	8/27 14:04
1	"6185385".PN.		USPAT;	8/27 14:05
1	"6208525".PN.		USPAT;	8/27 14:05
1	"4921564".PN.		USPAT;	8/27 14:05
1	"5362681".PN.		USPAT;	8/27 14:05
1	"5435876".PN.		USPAT;	8/27 14:05
1	"5597767".PN.		USPAT;	8/27 14:05
1	"5824177".PN.		USPAT;	8/27 14:06
1	"6197635".PN.		USPAT;	8/27 14:06
318	((semiconductor adj chip		US-PGPUB	8/27 14:40
21	"5824177"		USPAT;	8/27 11:35
22	"5435876"		US-PGPUB	8/27 11:35
648	yoshihara.in.		USPAT;	8/27 11:38
17	yoshihara.in. and jig		US-PGPUB	8/27 11:39
21	"5824177"		US-PGPUB	8/27 11:43
2	"6245533"		US-PGPUB	8/27 11:43
2	"6429536"		USPAT;	8/27 12:48
1	"4921564".PN.		US-PGPUB;	8/27 12:48
1	"5362681".PN.		EPD; JPC;	8/27 12:48
1	"4921564".PN.		DERWENT	8/27 12:48
1	"5435876".PN.		USPAT	8/27 12:48
1	"5597767".PN.		USPAT	8/27 12:48
1	"5824177".PN.		USPAT	8/27 12:48
1	"6197635".PN.		USPAT	8/27 12:48
1	"6124637".PN.		USPAT	8/27 12:48
1	"6313532".PN.		USPAT	8/27 12:48
1	"6198165".PN.		USPAT	8/27 12:48
1	"6201767".PN.		USPAT	8/27 12:48
1	"6204564".PN.		USPAT	8/27 12:48
1	"6209525".PN.		USPAT	8/27 12:48
1	"6169865".PN.		USPAT	8/27 12:48

-	1	"6226050".PN.	USPAT	2003/02/27 12:41
-	1	"62261891".PN.	USPAT	2003/02/27 12:42
-	41884	acceleration near sensor) (angle near sensor) (mirror near projector	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 16:12
-	4014	acceleration near sensor) (angle near sensor) (mirror near projector) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 14:03
-	760	((acceleration near sensor) (angle near sensor) (mirror near projector) and electrode) and (chip die)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 14:09
-	514	((acceleration near sensor) (angle near sensor) (mirror near projector) and electrode) and (chip die) and substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 14:37
-	673	acceleration near sensor) (angle near sensor) (mirror near projector) and (movable near electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/27 16:14
-	41	((acceleration near sensor) (angle near sensor) (mirror near projector) and (movable near electrode) and ((opening recess gap hole cavity notch) near10 (chip die)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/11 15:35
-	7997	(movable moveable) near electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/11 15:38
-	57	((acceleration near sensor) (angle near sensor) (mirror near projector) and (movable near5 electrode) and ((opening recess gap hole cavity notch) near10 (chip die)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/11 15:38
-	18	(US-6429506-\$ or US-6410166-\$ or US-6333565-\$ or US-6315253-\$ or US-6255741-\$ or US-6287345-\$ or US-5668033-\$ or US-6494042-\$ or US-6423563-\$ or US-6346733-\$ or US-6332359-\$ or US-6250164-\$ or US-6240782-\$ or US-6245593-\$).did. or (US-20020074617-\$ or US-20010040291-\$ or US-20010008300-\$).did. or (JP-07183543-\$).did.	USPAT; US-PGPUB; JPO	2003/04/11 16:16
-	10	((US-6429506-\$ or US-6410166-\$ or US-6333565-\$ or US-6315253-\$ or US-6255741-\$ or US-6287345-\$ or US-5668033-\$ or US-6494042-\$ or US-6423563-\$ or US-6346733-\$ or US-6332359-\$ or US-6250164-\$ or US-6240782-\$ or US-6245593-\$).did. or (US-20020074617-\$ or US-20010040291-\$ or US-20010008300-\$).did. or (JP-07183543-\$).did.) and capacity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/11 16:16

[illegible]